Thesaurus >

Main Entry: rec·og·nize

Pronunciation: 're-kig-"nIz, -k&g-

Function: transitive verb

Inflected Form(s): -nized; -niz-ing

Etymology: modification of Middle French reconoiss-, stem of reconoistre, from Latin recognoscere,

from re- + cognoscere to know -- more at COGNITION

Date: circa 1532

1: to acknowledge formally: as a: to admit as being lord or sovereign b: to admit as being of a particular status c: to admit as being one entitled to be heard: give the floor to d: to acknowledge the de facto existence or the independence of

2: to acknowledge or take notice of in some definite way: as a: to acknowledge with a show of appreciation < recognize an act of bravery with the award of a medal > b: to acknowledge acquaintance with < recognize a neighbor with a nod >

3 a: to perceive to be something or someone previously known < recognized the word > b: to perceive clearly: REALIZE

- rec·og·niz·abil·i·ty /"re-kig-"nI-z&-'bi-l&-tE, -k&g-/ noun
- rec·og·niz·able /'re-k&g-"nI-z&-b&l, -kig-/ adjective
- rec·og·niz·ably /-blE/ adverb
- rec·og·niz·er noun

Dictionary Pronunciation Key

- \&\ as a and u in abut
- \[^&]\ as e in kitten
- \&r\ as ur and er in further
- \a\ as a in ash
- \A\ as a in ace
- \ä\ as o in mop
- \au\ as ou in out
- \ch\ as ch in chin

- \e\ as e in bet
- \E\ as ea in easy
- \g\ as g in go
- \i\ as i in hit
- \I\ as i in ice
- \j\ as j in job
- \[ng]\ as ng in sing
- \O\ as o in go

- \o\ as aw in law
- \oi\ as oy in boy
- \th\ as th in thin
- \[th_]\ as th in the
- \"u\ as oo in loot
- \u\ as oo in foot
- \y\ as y in yet
- \zh\ as si in vision

CAMPYLOBACTER JEJUNI ANTIGENS, AND METHODS FOR THEIR PRODUCTION AND USE ANTIGENES DE CAMPYLOBACTER JEJUNI, LEURS PROCEDES DE PRODUCTION ET LE UTILISATION

Patent Applicant/Assignee:

ENTERIC RESEARCH LABORATORIES INC

Inventor(s):

BLASER Martin J

PEI Zhiheng

Patent and Priority Information (Country, Number, Date):

Patent:

WO 9505850 A1 19950302

Application: WO 94US8896 19940808 (PCT/WO US9408896)

Priority Application: US 93112387 19930827; US 93114420 19930830

Designated States: AM AU BB BG BR BY CA CN CZ FI GE HU JP KG KP KR KZ LK LT LV MD MG MN NO RO RU SI SK TJ TT UA UZ VN KE MW SD AT BE CH DE DK ES FR

GB GR IE IT LU PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG

Publication Language: English Fulltext Word Count: 16358

CAMPYLOBACTER JEJUNI ANTIGENS, AND METHODS FOR THEIR PRODUCTION AND USE ANTIGENES DE CAMPYLOBACTER JEJUNI, LEURS PROCEDES DE PRODUCTION ET LEUR UTILISATION

Inventor(s):

BLASER Martin J

PEI Zhiheng

Fulltext Availability:

Detailed Description

Claims

English Abstract

The present invention provides an isolated nucleic acid encoding an approximately 26 kilodalton antigen, PEBlA, of Campylobacter jejuni, or an antigenic fragment thereof, wherein the antigen is associated with diarrheal disease. The present invention also provides methods of detecting the presence of a Campylobacter jejuni strain possessing the PEBlA antigen in a subject. Vaccines and treatment for C. jejuni...

Japanese Abstract

Identification of the outer membrane proteins of Campylobacter pyloridis and antigenic cross-reactivity between C. pyloridis and C. jejuni.

Newell DG

Experimental Pathology Laboratory, PHLS Centre for Applied Microbiology and Research, Salisbury, UK.

Journal of general microbiology (ENGLAND) Jan 1987, 133 (Pt 1) p163-70, ISSN 0022-1287 Journal Code: I87

Languages: ENGLISH

Document type: Journal Article

Record type: Completed Subfile: INDEX MEDICUS

'Inactivation of Campylobacter jejuni flagellin genes by homologous recombination demonstrates that flaA but not flaB is required for invasion. Wassenaar TM ; Bleumink-Pluym NM; van der Zeijst BA

Department of Bacteriology, School of Veterinary Medicine, University of Utrecht, The Netherlands.

EMBO journal (ENGLAND) Aug 1991, 10 (8) p2055-61, ISSN 0261-4189 Journal Code: EMB

Languages: ENGLISH

Document type: Journal Article

Record type: Completed INDEX MEDICUS Subfile:

The role of the Campylobacter jejuni flagella in adhesion to, and penetration into, eukaryotic cells was investigated. We used homologous recombination to inactivate the two flagellin genes flaA and flaB of C. jejuni, respectively. Mutants in which flaB but not flaA is inactivated remain motile. In contrast a defective flaA gene leads to immotile bacteria. Invasion studies showed that mutants without motile flagella have lost their potential to adhere to, and penetrate into, human intestinal cells in vitro. Invasive properties could be partially restored by centrifugation of the mutants onto the tissue culture cells, indicating that motility is a major, but not the only, factor involved in invasion.

Tags: Support, Non-U.S. Gov't